



LEMPAN
PANELS

Lemahieu Group



Knowledge of wood and craftsmanship are the foundation of **LEMAHIEU** products. Innovation and quality are of the utmost importance in our machinery and ensure continuous innovation in our assortment.

Besides standard panels, **LEMPAN** also offers special products, such as Okoume plywood or MDF TRICOYA EXTREME from MEDITE. Please see our separate LEMPAN publication with an overview of our panels.

LDCwood® ThermoWood®, as a manufacturer of ThermoWood®, provides solutions for facade and wall cladding, furniture, ... both planed, coated and fire retardant treated, in a variety of wood species.

JenoWood is the sales point for all Lemahieu and LDCwood wood products in the Netherlands.

We endeavour to be a loyal partner to the timber trade and specialised timber-processing industry both in domestic and in international markets. So, it is our mission to strive for an excellent level of customer service and satisfaction by supplying high-quality timber and panels and by maintaining and developing strong relationships with our stakeholders.




Ghent, Belgium - Registered office



Ostend, Belgium - Production site



Hem, The Netherlands - JenoWood





Created by nature

Proudly, we can say that since 1911, we have been a reliable partner for the timber trade and the wood processing industry. Our rich history and experience enable us to offer an extensive range of timber and panels.



Redefined by Lemahieu Group

At the beating heart of our company lies a modern machinery park, powered by green electricity from our solar panels and fueled with rainwater.

Lemahieu Academy

We do not keep our expertise to ourselves. We want to help customers and construction professionals, to grow by transferring our knowledge to them. Trends in the sector, relevant legislation, and practical cases are set out in personalised workshops and presentations tailored to the target audience.

By organising internships, guided tours, and presentations we want to motivate and support young people and students in their professional development and the start of their careers.



Facts & figures Lemahieu Group



LEMAHIEU
GROUP




Watch the
video



We import
220,000 m³ of timber
and panels annually



Our 100 employees
share a passion
for wood



Our covered
storage space
counts 120,000 m²



113 years of
craftsmanship
and experience
since 1911



Scan and
read more

DID YOU KNOW ...

... that Lemahieu Group has actually been around for
more than 110 years?

At the beginning of the 20th century, the Lemahieu family
was already active in the timber industry. The date of
establishment has not been found, but documents from 1911
refer to 'Menuiserie Lemahieu' in Gullegem.

.... Lempan Panels has over 1000 items?

With more than 35 years of experience in the panel
import business, we have built solid relationships with
our supplier-partners. Our knowledge of panels allows
us to select the right products and brands.



Our values as a common thread

Our values are not just words on paper; they are at the core of our corporate culture and guide our daily work.

DRIVE

Dynamic. Ambitious. Direct.

FAMILY

Team. Listening. Collegial.

TRUST

Service. Quality. Innovation.

At Lemahieu Group, wood is at the heart of everything we create. Our baseline is about our respect for this natural product and our mission to broaden its use in an environmentally friendly and sustainable way.



At Lemahieu Group, we want to create a pleasant work environment for our staff by providing development opportunities, informal activities, and business facilities. This is how we strive to ensure that everyone enjoys coming to work.

Strong brands

Lempan Panels focuses on the import and distribution of high-quality panels. As a dedicated premium partner of renowned brands, we maintain strong and reliable relationships with our suppliers. Our extensive stock includes standard panels as well as special products and guarantee panels. Our customers appreciate our in-depth product knowledge and wide product range.



Extensive product knowledge



Strong relationships with stakeholders



Premium partner for numerous brands



Large stock

A selection of our brands

AGEPAN® SYSTEM

bruynzeel
Plywooc

ALLIN
le vanneau

BeTanzosHB

tablex

cmppc

fepco
The Supplywood Specialist

garnica
Challenge the ordinary

guararapes

EXTREME
MEDITE tracoya

Metsä

ORLIMEX
Plywood experts. Worldwide.

MOURIKIS SA
WOOD INDUSTRY SINCE 1924

ODEK
Since 1881

SKLEJKA MULTI SA
SKLEJKA SPERRHOLZ PLYWOOD
Rok zał. 1914

SPANOLUX

UNILIN

arauco

MEDITE®
SMARTPLY®
INNOVATIVE TIMBER PRODUCTS

Premium dealer of
MEDITE SMARTPLY

STEICO
engineered by nature

Dealer of the product
range of STEICO





Lemahieu Group is a dealer of the product range of **STEICO**

STEICO UNIVERSAL

Roof and wall construction board with tongue-and-groove profile



BRAND
Steico

THICKNESSES
22 and 35 mm

SIZES
2230 x 600 mm

STEICO UNIVERSAL DRY

Vapor-permeable wood fiberboard for roofing and walls



BRAND
Steico

THICKNESSES
60 mm

SIZES
1880 x 600 mm

STEICO FLEX 036

Flexible wood fiber board for use between rafters, beams, and studs in roof, wall, and floor.



BRAND
Steico

THICKNESSES
50 to 220 mm

SIZES
1220 x 575 mm

STEICO SPECIAL DRY

For roofing/walls and for additional insulation on therafters




BRAND
Steico

THICKNESSES
100 and 140 mm

SIZES
2230 x 600 mm
1880 x 600 mm

STEICO ECO SILENT

Underlay for laminate and parquet flooring



BRAND
Steico

THICKNESSES
3 to 7 mm

SIZES
790 x 590 mm

OSB

OSB3




THICKNESSES
8 to 25 mm

SIZES
Various sizes

OPTIONS
Sanded
Unsanded
TG2
TG4
Square edges

OSB SURE STEP

OSB3 with anti-slip coating
Properties: anti-slip coating



BRAND
Smartply

THICKNESSES
18-22 mm

SIZES
2397 x 1200 mm

OPTIONS
TG2

OSB ULTIMA

OSB4 with high load-bearing capacity



BRAND
Smartply

THICKNESSES
18 mm

SIZES
2500 x 1250 mm
2500 x 625 mm

OPTIONS
Square edges
TG4

OSB MAX FR B

OSB3 with fire-retardant properties
Properties: Fire class B



BRAND
Smartply

SIZES
Various sizes

OPTIONS
Square edges
TG2

THICKNESSES
11-15-18 mm

OSB STRONGDECK

OSB4 high load-bearing capacity



BRAND
Smartply

THICKNESSES
30 mm

SIZES
2400 x 675 mm

MDF moisture-resistant

MDF with moisture-resistant properties



BRANDS
MEDITE
Spanolux
Unilin

THICKNESSES
6 to 38 mm

SIZES
Various sizes

MDF eco

MDF without formaldehyde added



BRANDS

MEDITE

Spanolux

THICKNESSES

9 to 19 mm

SIZES

2440 x 1220 mm

3050 x 1220 mm

MDF fire-retardant

MDF with fire-retardant properties

Properties: Fire class B



BRANDS

MEDITE

Spanolux

THICKNESSES


Various thicknesses

SIZES

Various sizes

MDF black

MDF black coloured in the mass



BRAND

Spanolux

THICKNESSES

6 to 25 mm

SIZES

Various sizes

OPTIONS

Moisture-resistant

Not moisture-resistant

MDF with paint grade film

MDF with high-quality paint grade film

Properties: Ready to paint



BRAND

Unilin

THICKNESSES

9 to 18 mm

SIZES

2440 x 1220 mm

3050 x 1220 mm

MDF fold

Brown MDF

Properties: Longitudinal and lateral threads



THICKNESSES

6-9 mm

SIZES

2440 x 1220 mm

1220 x 2440 mm

MDF melamine coated

MDF with white melamine coating



BRAND

Unilin

THICKNESSES

18 mm

SIZES

Various sizes

MDF MEDITE EXTERIOR

MDF for outdoor use



THICKNESSES

6 to 25 mm

SIZES

2440 x 1220 mm

2745 x 1220 mm

3050 x 1220 mm

MDF prime

MDF ready to paint

Properties: Two-sided primed MDF



BRANDS

MEDITE

Spanolux

Unilin

THICKNESSES

9 to 18 mm

SIZES

2440 x 1220 mm

3050 x 1220 mm

OPTIONS

Moisture-resistant

MDF vapour-open building

Vapour-open racking board



BRANDS

Unilin RWH

Agepan DWD

MEDITE

SIZES

2440 x 610 mm

2510 x 635 mm

2800 x 1196 mm

2397 x 1197 mm

THICKNESSES

12-16 mm

OPTIONS

TG4

MDF MEDITE TRICOYA EXTREME

Very durable MDF

Properties: For outdoor use • 50-year warranty



BRAND

MEDITE

THICKNESSES

4 to 18 mm

SIZES

2440 x 1220 mm

3050 x 1220 mm

Hardboard

Brown hard fibreboard



THICKNESSES

2 to 6,4 mm

SIZES

1220 x 610 mm

2440 x 1220 mm

2745 x 1700 mm

3050 x 1220 mm

VARIANTS/OPTIONS

White

Lacquered

perforated

Eucalyptus

Oil tempered

Softboard

Light fibreboard for acoustic purposes

Properties: Acoustic



THICKNESSES

10 to 20 mm

SIZES

Various sizes

OPTIONS

Isorel

Isorel Ivory

Phaltex

Lempaboard

Composite panel made of OSB and softboard
Properties: Acoustic • T&G4




BRAND
Lempan

THICKNESSES
28-38 mm

SIZES
2440 x 590 mm

Lempagips

Composite panel made of plasterboard and fibreboard
Properties: Acoustic



BRAND
Lempan

THICKNESSES
32,5 mm

SIZES
2600 x 1200 mm

Plywood maple

Reinforced and multipurpose plywood
Properties: Quality B/BB



BRAND
Garnica

THICKNESSES
9 to 30 mm

SIZES
2440 x 1220 mm

Plywood beech

Properties: Interior bonding • Quality: B/BB



THICKNESSES
4 to 24 mm

SIZES
2500 x 1250 mm

Plywood birch

Properties: Interior and exterior bonding • Qualities: B/BB to C/C



THICKNESSES
3 to 40 mm

SIZES
Various sizes

OPTIONS
Lacquered
one-sided
Lacquered
two-sided
Fire-retardant

Plywood poplar

European lightweight plywood
Properties: Qualities: B/BB - BB/BBB



THICKNESSES
3 to 30 mm

SIZES
2500 x 1220 mm
3100 x 1530 mm
3050 x 1300 mm

Plywood okoumé guarantee

Okoumé multiplex
Properties: For outdoor use • Qualities: A/BB + B/BB



BRAND
Allin

THICKNESSES
4 to 40 mm

OPTIONS
Fire-retardant

SIZES
2500 x 1220 mm
3100 x 1530 mm

Plywood okoumé guarantee Hechthout

Okoumé multiplex
Properties: For outdoor use • specially selected veneers



BRAND
Allin

THICKNESSES
4 to 25 mm

SIZES
2500 x 1220 mm

Plywood sapelli guarantee Suprahecht

Properties: For outdoor use



BRAND
Allin

THICKNESSES
4 to 25 mm

SIZES
2500 x 1220 mm

Plywood okoumé guarantee Multipaint

Properties: For outdoor use • Two-sided with paintable synthetic resin coating



BRAND
Allin

THICKNESSES
10 to 18 mm

SIZES
2500 x 1220 mm

Plywood okoumé garantie Brupaint

Properties: For outdoor use • Two-sided pre-painted 80 µm



BRAND
Allin

THICKNESSES
6 to 25 mm

SIZES
2500 x 1220 mm
3100 x 1530 mm

Plywood okoumé guarantee Multigroove

Grooved okoumé plywood with tongue and groove
Properties: For outdoor use



BRAND
Allin

THICKNESSES
9 mm

SIZES
2500 x 1242 mm

Plywood grooved Indonesian

Grooved plywood



THICKNESSES	SIZES
9-12 mm	2440 x 1220 mm

Plywood grooved radiata pine

Grooved radiata pine



THICKNESSES	SIZES
12 mm	2440 x 1220 mm

Plywood folded

Properties: Longitudinal and lateral thread



THICKNESSES	SIZES
5-7-16 mm	2500 x 1220 mm 1220 x 2500 mm

Plywood Chinese

Properties: Exterior bonding • Quality: B/BB



THICKNESSES	SIZES
3,6 to 40 mm	2500 x 1220 mm 2440 x 1220 mm 3050 x 1530 mm

Plywood Premium E-Vision

Class 3 plywood (WBP)
Properties: E-vision top layer • Eucalyptus core



BRAND	THICKNESSES	SIZES
Lempan	9 to 25 mm	2440 x 1220 mm 2500 x 1220 mm 2140 x 1220 mm (18 mm)

Plywood South-East Asia

Class 3 plywood (WBP) from Indonesia and Malaysia
Properties: Quality: BB/CC



THICKNESSES	SIZES
3,6 to 40 mm	2440 x 1220 mm 2500 x 1220 mm 3050 x 1530 mm (limited)

Plywood softwood Polish pine

Interior board
Properties: Interior bonding



THICKNESSES	SIZES
4 to 25 mm	2440 x 1220 mm 2500 x 1250 mm 3050 x 1530 mm (Op bestelling)

Plywood softwood radiata pine

Chilean softwood plywood
Properties: Qualities: B/C and CP/C



THICKNESSES	SIZES	OPTIONS
9 to 25 mm	2440 x 1220 mm 2440 x 610 mm	TG2 TG4

Plywood softwood elliottis pine

Construction plywood
Properties: Quality: softwood C+/C



THICKNESSES	SIZES	OPTIONS
7 to 30 mm	2440 x 610 mm 2440 x 1220 mm 2500 x 1250 mm	TG2 TG4

Plywood softwood Finnish spruce

Softwood plywood
Properties: Qualities: II/III - III/III



BRAND	THICKNESSES	OPTIONS
Metsawood	9 to 30 mm	Fire-retardant TG2 TG4
	SIZES	
	2440 x 1220 mm	

Plywood softwood Russian pine

Construction plywood
Properties: Qualities: I/III - II/III - III/III



THICKNESSES	SIZES
9 to 21 mm	Various sizes


Rubberwood

Interior board made of finger-jointed slats of solid wood
Properties: Quality: A/B • Individually packaged



THICKNESSES	SIZES
15 to 56 mm	4500 x 1100 mm 4500 x 650 mm

Plywood film-faced



Plywood with film

Properties: Available in smooth and non-slip top layer •
Standard basic film colour: brown

SIZES
2500 x 1250 mm
3000 x 1500 mm
3050 x 1530 mm

VARIANTS
Birch
Radiata pine
Meranti
Chinese

COLOR FILM
Black
White
Green

Various cores possible from various production countries

Chipboard



Standard chipboard

Properties: Qualities: P1, P2 and P4

BRAND
Unilin

THICKNESSES
Various
thicknesses

SIZES
Various sizes

OPTIONS
Sanded
Unsanded
Fire-retardant
Square edges
TG2
TG4

Moisture resistant chipboard



Moisture resistant chipboard

Properties: Qualities: P3 and P5


BRAND
Unilin

THICKNESSES
Verschillende
THICKNESSES

SIZES
Various sizes

OPTIONS
Sanded
Unsanded
Square edges
TG2
TG4

Concrete formwork chipboard



Concrete formwork panel

Properties: Qualities: P3 and P5

BRAND
Unilin

THICKNESSES
17-18 mm

SIZES
Various sizes

OPTIONS
Betonspan
Acryspan
WRB

Melamine chipboard



Chipboard with white melamine layer

Properties: White top layer

BRAND
Unilin

THICKNESSES
8 to 25 mm

SIZES
2500 x 1250 mm
3050 x 1250 mm
2070 x 2800 mm

Furniture panel



Edged melamine faced chipboard

Properties: White top layer

BRAND
Unilin

THICKNESSES
Various
thicknesses

SIZES
Various sizes





Cut from the right wood

Our wide-ranging knowledge, innovative techniques, and sustainable materials cohere to guarantee ecologically sound products for indoors and outdoors. Do you want more information about our products or already know exactly what you want to put in our capable hands? You are welcome to contact us.

Zuiddokweg 44
9000 Ghent
Belgium

Vergunningenstraat 6
8400 Ostend
Belgium

Driebanweg 14
1607 ML Hem
The Netherlands

www.lemahieu.be - www.lempan.be - www ldcwood.com - www.jenowood.nl